

# COVERALL AUTOCLAVE

## MULTI-USE AUTOCLAVABLE

COVERALL AUTOCLAVE protective goggles is specially designed to guarantee total comfort and optimum protection in controlled environments. Equipped with our exclusive anti-fog and anti-scratch PLATINUM coating on both sides of the lens, our autoclavable multi-use goggles are resistant to high temperature and still fully functional after several autoclaving cycles. Its designs fit over any prescription glasses, ensuring improved eye protection and vision.

- + HIGH FOGGING RESISTANCE
- + AUTOCLAVE COMPATIBLE PRODUCT
- + LIQUID OVERFLOW CHUTE
- + ANTI-FOG AND ANTI-SCRATCH PLATINUM COATING



### TECHNOLOGIES

+ PLATINUM

### VERSIONS



COVACLAVE



COVACLEAN

# COVERALL CLEAN

## NON-STERILE SINGLE-USE

COVERALL CLEAN protective goggles is specially designed to guarantee total comfort and optimum protection in sensitive and sterile environments such as pharmacies, micro-electronics and operating theatres. Disposable non-sterile goggles that can be treated by the customer by gamma or beta irradiation or by ethylene oxide sterilisation.

- + CAN BE STERILIZED USING GAMMA, BETA AND ETO RADIATION
- + DISPOSABLE
- + LIQUID OVERFLOW CHUTE
- + ANTI-SCRATCH/ANTI-FOG PLATINUM LITE COATING



### TECHNOLOGIES

PLATINUM LITE

### VERSIONS




COVACLAVE



COVACLEAN

**COVERALL**

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
	CLEAR	COVACLAVE	Z87+ U6	Z87+ D3 D4	PLATINUM	ANSI Z87.1-2010
	CLEAR	COVACLEAN	Z87+ U6	Z87+ D3 D4	PLATINUM LITE	ANSI Z87.1-2010

⚠️ PROP65: WARNING: CANCER AND/OR REPRODUCTIVE HARM - WWW.P65WARNINGS.CA.GOV

**PACKAGING & CODE**

SINGLE:	INNER BOX:	OUTER PACK:
Size: 13.98 x 6.18 x 3.35 in	Size: 1.11 x 0.58 x 0.35 ft Weight: 1.34 lb	Size: 1.97 x 1.64 x 1.31 ft Weight: 28.66 lb -33.95 lb
3660740000646	3 660 740 100 643 -5 pcs	3 660 740 200 640 -90 pcs
3660740007850	3 660 740 107 857 -5 pcs	3 660 740 207 854 -150 pcs
<b>CUSTOM CODE:</b> 9004900000		

**COVACLAVE : GENERAL SPECIFICATIONS**

<b>LENS</b>	POLYCARBONATE
<b>FRAME</b>	TPR - INDIRECT VENTILATED ON THE UPPER PART AND SEALED ON THE BOTTOM
<b>WEIGHT</b>	2.72 oz
<b>STRAP</b>	ISOPRENE - GREY
<b>USE</b>	MULTI USE - AUTOCLAVE

**COVACLEAN : GENERAL SPECIFICATIONS**

<b>LENS</b>	POLYCARBONATE
<b>FRAME</b>	PVC - INDIRECT VENTILATED ON THE UPPER PART AND INDIRECT VENTILATED ON THE BOTTOM
<b>WEIGHT</b>	3.32 oz
<b>STRAP</b>	ISOPRENE - GREY
<b>USE</b>	SINGLE USE - STERILIZABLE



**COVACLAVE**  
MADE IN: TW



**COVACLEAN**  
MADE IN: TW



**CLEANING & STORAGE**

**CLEANING:** The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

**MAINTENANCE:** Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the glasses or goggles in a microfibre pouch or rigid case.

**STORAGE:** All products must be stored in a dry and clean environment.



DATASHEET: 07-15-2022

**bolle-safety.com**

**Europe Headquarters**  
34 rue de la Soie  
69100 Villeurbanne  
France  
Tél. : 00 33 (0) 4 78 85 23 64

**U.K. & Ireland**  
Unit C83 - Barwell Business Park  
Leatherhead Road - Chessington  
Surrey - KT9 2NY - UK  
Tél. : 00 44 (0)208 391 4700

**USA Office**  
2810 Caribou Court, Suite 160  
Carlsbad, CA 92010  
United States of America  
Tél. : 800 222 6553

**Asia-Pacific Office**  
32-40 Fairchild Street  
heatherton VIC 3202  
Australia  
Tél. : 1300 138 098



**THE PPE EYEWEAR SPECIALISTS**