

# INVADER

**bolle**  
TACTICAL

Lightweight, ultra enveloping and design, INVADER will provide you with comfort and protection. Available with yellow, smoke or polarized lenses: protection against glare, INVADER is the ideal model for extreme situations.

ref. INVAKIT  
Supplied with microfibre pouch

Integral side shields

Coatings anti-scratch,  
anti-fog, anti-static

Ballistic ocular

20 g

Non-slip bridge

Non-slip TIPGRIP temples

**INVAKIT:**  
Complete clear version



+



Smoke lens

+



Yellow lens

**INVAPOL**



Polarized lens

Europe Bollé Safety  
95 Rue Louis Guérin  
69100 Villeurbanne - France  
tel: 00 33 (0) 4 78 85 23 64  
fax: 00 33 (0) 4 78 85 28 56  
contact@bolle-safety.com

U.K. Bollé Safety  
Unit C83 - Barwell Business Park  
Leatherhead Road - Chessington  
Surrey - KT9 2NY  
tel. 00 44 (0)208 391 4700  
fax 00 44 (0)208 391 4733  
e-mail : sales@bolle-safety.co.uk

**TACTICAL**

**Ballistic Resistance**  
**STANAG 2920**

**V50 : 785 km/h (218 m/s)**

www.bolle-safety.com

# INVADER

Safety spectacles

STANDARD MARKINGS :

| Products Ref.       | LENSES                       |                             |                       |                 |                   |              |                          |                              |                            |                            |                               |  | FRAMES       |         |                       |           |                |              |                                  |   |                               |                          |                              |                            |         |                            |
|---------------------|------------------------------|-----------------------------|-----------------------|-----------------|-------------------|--------------|--------------------------|------------------------------|----------------------------|----------------------------|-------------------------------|--|--------------|---------|-----------------------|-----------|----------------|--------------|----------------------------------|---|-------------------------------|--------------------------|------------------------------|----------------------------|---------|----------------------------|
|                     | Risks relating to radiations |                             | Bollé Protection Logo | Optical Quality |                   |              | Mechanical Risks         |                              |                            | Electrical Risks           | Thermal Risks                 | Coatings (Optionnal marking K: anti-scratch N: anti-fog) |              | CE logo | Bollé Protection logo | Standards | Chemical Risks |              |                                  | Electrical Risks                        | Mechanical Risks              |                          |                              | Thermal Risks              | CE logo |                            |
|                     | EN 170 - UV                  | EN 172 - Solaires (100% UV) |                       | Permanent Wear  | Intermittent Wear | Short Period | Low energy Impact 45 m/s | Medium energy Impact 120 m/s | High energy Impact 190 m/s | Extreme temperature impact | Electric arc short circuiting | Molten metals and hot solids                             | anti-scratch |         |                       |           | anti-fog       | Liquid drops | Large dust particles > 5 microns | Gas and fine dust particles < 5 microns | Electric arc short circuiting | Low energy impact 45 m/s | Medium energy impact 120 m/s | High energy impact 190 m/s |         | Extreme temperature impact |
| INVAKIT Clear lens  | 2C-1.2                       |                             |                       | 1               |                   | F            |                          |                              | T                          | N/A                        | N/A                           |  |              | CE      |                       | EN 166    | N/A            | N/A          | N/A                              | N/A                                     | F                             | N/A                      | N/A                          | T                          | N/A     | CE                         |
| INVAKIT Smoke lens  |                              | 5-3.1                       |                       | 1               |                   | F            |                          |                              | T                          | N/A                        | N/A                           |  |              | CE      | N/A                   | N/A       | N/A            | N/A          | N/A                              | N/A                                     | N/A                           | N/A                      | N/A                          | N/A                        | N/A     | N/A                        |
| INVAKIT Yellow lens | 2C-1.2                       |                             |                       | 1               |                   | F            |                          |                              | T                          | N/A                        | N/A                           |  |              | CE      | N/A                   | N/A       | N/A            | N/A          | N/A                              | N/A                                     | N/A                           | N/A                      | N/A                          | N/A                        | N/A     | N/A                        |
| INVAPOL             |                              | 5-3.1                       |                       | 1               |                   | F            |                          |                              | T                          | N/A                        | N/A                           |  |              | CE      |                       | EN 166    | N/A            | N/A          | N/A                              | N/A                                     | F                             | N/A                      | N/A                          | T                          | N/A     | CE                         |

N/A: Non applicable

**TACTICAL**

**Ballistic Resistance  
STANAG 2920**



V50 : 756 km/h (210 m/s)



V50 : 785 km/h (218 m/s)



V50 : 763 km/h (212 m/s)



V50 : 752 km/h (209 m/s)

INVAPOL

CHARACTERISTICS :

|            |                       |
|------------|-----------------------|
| Lens       | PC - 2,3 mm - Curve 8 |
| Frame      | Black PC              |
| Temples    | Black PC + TPR        |
| Strap      | Non Applicable        |
| Foam       | Non Applicable        |
| Spare Lens | Clear, Yellow, Smoke  |

PACKAGING AND EAN 13 CODE :

|                                     | INVAKIT       | INVAPOL       |
|-------------------------------------|---------------|---------------|
| individual carry case               | 3660740005467 | 3660740005498 |
| N/A                                 | N/A           | N/A           |
| 90 safety spectacles per outer pack | 3660740205461 | 3660740205492 |

Notified laboratories for certification :

