

RUSH+ GLOW

INNOVATION VISIBLE AT 1ST GLANCE

RUSH+ spectacles are now equipped with phosphorescent temples to be seen in the dark : a remarkable safety argument !



RUSHPGLO



RUSHKITFS
Kit foam & strap

OPTIONAL



28 g



Non-slip adjustable
bridge

 PLATINUM

- + ULTRA-FLEX AND PHOSPHORESCENT TEMPLES**
- + UPPER PROTECTION**
- + NON-SLIP ADJUSTABLE BRIDGE**
- +  PLATINUM COATING ()**
- + 5 MINUTES UNDER A LIGHT SOURCE
ACHIEVES PHOSPHORESCENCE**

bolle
SAFETY

RUSH+ GLOW

INNOVATION VISIBLE AT 1ST GLANCE

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
RUSH+	 Clear	RUSHPGLO 	2C-1,2  1 FT KN 	 EN166 FT 	Anti-scratch/Anti-fog 
	Kit foam & strap (option)	RUSHKITFS	-	-	-

LENS MARKING

Optical class symbols:

1. Continuous work

Mechanical strength symbols:

F. Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s
Maximum protection for glasses.

T. The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.

Others symbols:

K. Resistance to surface damage by fine particles

N. Resistance to fogging

 European standard  Manufacturer name

FRAME MARKING

EN 166: guaranteed minimum resistance of the protective eyewear against everyday risks including dropping the protective eyewear onto the ground, ageing by light exposure, exposure to heat or corrosion etc.

F. Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s
Maximum protection for glasses.

T. The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.

 European standard  Manufacturer name

Bollé Safety product approval certificates to CE standards will be sent on request.

TECHNOLOGIES

PLATINUM

The new exclusive scratch and fog resistant coating guarantees even more safety, reliability and comfort. Washable (water and soap), this permanent coating applied on both sides of the lens makes it highly scratch resistant and durably delays the appearance of fogging.

CLEANING AND STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.

PACKAGING AND EAN13 CODE		
	RUSHPGLO	RUSHKITFS
Individual plastic bag	3660740008130	3660740006488
10 spectacles OR 20 foam and strap kits per inner box	3660740108137	3660740106485
240 spectacles OR 240 foam and strap kits per outer pack	3660740208134	3660740206482

CHARACTERISTICS	
LENSES	PC - 2,2 mm - Curve 9
TEMPLES	PC + phosphorescent material
STRAP (OPTION)	Nylon/15mm/Adjustable
FOAM (OPTION)	SBR
SPARE LENSES	No



Non-contractual pictures

01/06/2017

Europe Bollé Safety
95 rue Louis Guérin
69100 Villeurbanne - France
Tél. : 00 33 (0) 4 78 85 23 64
Fax : 00 33 (0) 4 78 85 28 56
contact@bolle-safety.com

U.K. Bollé Safety
Unit C83 - Barwell Business Park Leatherhead Road - Chessington
Surrey - KT9 2NY
Tél. : 00 44 (0)208 391 4700
Fax : 00 44 (0)208 391 4733
e-mail : sales@bolle-safety.co.uk

bolle-safety.com

bolle
SAFETY