

# IRI-S

## IRI-S, A SINGLE MODEL FOR THOUSANDS OF FACES

IRI-s, the first universal safety glasses that fits perfectly to everyone: a “memory form” B-Flex bridge, fully adjustable in height, depth and width, an ultra-enveloping frame with pivoting ergonomic temples, embraces precisely all face shapes with reading area in clear and smoke versions.

 PLATINUM



40223



40182



40120

  
0.95 oz

### SUPPLIED WITH

Adjustable cord  
Ref. CORDC  
Microfibre pouch  
Ref. 40107



Optical insert  
40273



SMOKE READING AREA :

+1 : PSSIRI-432  
+1.5 : PSSIRI-433  
+2 : PSSIRI-434  
+2.5 : PSSIRI-435  
+3 : PSSIRI-436



CLEAR READING AREA :

+1.5 : 40187  
+2 : 40188  
+2.5 : 40189  
+3 : 40190

**+ 1 MODEL - 1 SIZE FITS ALL**

**+ BI-MATERIAL, PIVOTING, NON SLIP & ERGONOMIC TEMPLES**

**+ UPPER PROTECTION**




















**+  PLATINUM COATING (+P)**

**+  FLEX NOSE**

**bolle**  
SAFETY

# IRI-S

## IRI-S, A SINGLE MODEL FOR THOUSANDS OF FACES

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
IRI-s	 Clear	40223	 Z87+U6	 Z87+ CSA Z94.3	Anti-scratch/Anti-fog 
	 Smoke	40182	 Z87+U6S		
	 Twilight	40120	 Z87+U6S		
	 Clear reading area +1.5	40187	 Z87+U6		Anti-scratch/Anti-fog
	 Clear reading area +2	40188			
	 Clear reading area +2.5	40189			
	 Clear reading area +3	40190			
	 Smoke reading area +1	PSSIRI-432	 Z87+U6S		
	 Smoke reading area +1.5	PSSIRI-433			
	 Smoke reading area +2	PSSIRI-434			
	 Smoke reading area +2.5	PSSIRI-435			
	 Smoke reading area +3	PSSIRI-436			
	Optical insert	40273	NA		


### LENS MARKING

 = Manufacturer name

**Z87+** = Impact rated for Plano product - tested and approved to ANSI Z87.1-2015

#### Lens type

- o Clear = none
- o Welding = W and Shade number from 1,3 to 14
- o UV filter = U and scale number from 2 to 6
- o Visible light filter = L and scale number from 1,3 to 10
- o IR filter = R and scale number from 1,3 to 10
- o Variable tint = V
- o Special purpose = S

 **WARNING:** Cancer and Reproductive Harm – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

### TECHNOLOGY

#### TWILIGHT

The TWILIGHT technology offers the advantages of ESP with a double anti-fog coating (on both sides of the lenses) to prevent fogging in the most challenging conditions. Designed and used in low light conditions, it improves contrast. Its light transmission rate is perfect for outdoors, particularly early morning and late evening. TWILIGHT filters 76% of blue light.

#### PLATINUM

The exclusive scratch and fog resistant coating K & N certified PLATINUM® guarantees even more safety, reliability and comfort. Washable (water and soap), this permanent coating is applied on both sides of the lens makes it highly scratch resistant and durably delays the appearance of fogging.

### FRAME MARKING

 = Manufacturer name

**Z87+** = Impact rated for Plano product - tested and approved to ANSI Z87.1-2015

**CSA Z94.3** = Canadian standards

**Country of origin: Taiwan**

ANSI: guaranteed minimum resistance of the protective eyewear against everyday risks including dropping the protective eyewear onto the ground, ageing by light exposure, exposure to heat or corrosion etc.

Maximum protection for glasses. Use for high speed particles at extreme temperatures.

ANSI: Standard

 = Manufacturer name

**Bollé Safety product approval certificates to ANSI standards will be sent on request.**

### CLEANING AND STORAGE

**CLEANING:** The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

**MAINTENANCE:** Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the glasses or goggles in a microfiber pouch or rigid case.

**STORAGE:** All products must be stored in a dry and clean environment.

04/01/2021

Bollé Safety-USA  
2810 Caribou Court, Suite 160  
Carlsbad, CA 92010  
USA

[bollesafety-usa.com](http://bollesafety-usa.com)

**bolle**  
SAFETY

# IRI-S

IRI-S, A SINGLE MODEL FOR THOUSANDS OF FACES

## PACKAGING AND EAN13 CODE

	40223	40182	40120	40273
Individual plastic bag	3660740000264	3660740000271	3660740000288	3660740007485
10 safety glasses / inner box	3660740100261	3660740100278	3660740100285	-
240 safety glasses per outer pack	3660740200268	3660740200275	3660740200282	-

## PACKAGING AND EAN13 CODE

	40187	40188	40189	40190	PSSIRI-432	PSSIRI-433	PSSIRI-434	PSSIRI-435	PSSIRI-436
Individual plastic bag	3660740007003	3660740007010	3660740007027	3660740007034	3660740011062	3660740011079	3660740011086	3660740011093	3660740011109
10 safety glasses / inner box	3660740107000	3660740107017	3660740107024	3660740107031	3660740101060	3660740101077	3660740101084	3660740101091	3660740101107
240 safety glasses per outer pack	3660740207007	3660740207014	3660740207021	3660740207038	3660740201067	3660740201074	3660740201081	3660740201098	3660740201104

## CHARACTERISTICS

LENSES	PC - 2,2 mm - Curve 10
FRAME	PC
TEMPLES	PC + TPR
STRAP	Non applicable
FOAM	Non applicable
SPARE LENSES	No

04/01/2021

Bollé Safety-USA  
2810 Caribou Court, Suite 160  
Carlsbad, CA 92010  
USA

[bollesafety-usa.com](http://bollesafety-usa.com)

**bolle**  
SAFETY