

STKS 420

LOOK SHARP ON SITE

Stay sharp and protected with STKS safety glasses, the ultimate blend of style, sustainability, and high-performance eye protection. Engineered by Bollé Safety, these sleek, eco-friendly frames are made to keep up with you and your crew — on site and beyond.

Certified for serious protection and built for all-day comfort, STKS combines cutting-edge technologies with sustainable materials for durability that won't quit. The modern frame design delivers a sharp look while keeping your vision clear and your eyes safe.

Need prescription lenses? STKS is also available in prescription to keep you looking on point with sharp vision, no matter where the job takes you.

28 G

- + **SUSTAINABLY CRAFTED: OVER 65% (PLANO) AND 52% (PRESCRIPTION) RECYCLED POLYCARBONATE**
- + **CRYSTAL-CLEAR VISION WITH 'PLATINUM' : ANTI-FOG & ANTI-SCRATCH COATING**
- + **ENHANCED PROTECTION & COMFORT: INTEGRATED SIDE SHIELDS AND UPPER BROW PROTECTION FOR SUPERIOR COVERAGE**
- + **PRESCRIPTION-READY : ADVANCED LENS TREATMENTS AND WIDE PRESCRIPTION ADAPTABILITY FOR PRECISE VISION CORRECTION**



TECHNOLOGIES

CSP
'PLATINUM
POLARIZED

VERSIONS

REGULAR SIZE

M



LARGE SIZE

L



PRESCRIPTION








bollé
SAFETY



AVAILABLE WITH
PRESCRIPTION

STKS 420 | M

USE	VERSION	FRAME COLOUR	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
	 CLEAR	SHINY BLACK	 STK42N10U	 Z87+ U6X	 Z87+	 PLATINUM	ANSI Z87.1-2020
	 CLEAR	CRYSTAL	 STK42N11U	 Z87+ U6X	 Z87+	 PLATINUM	ANSI Z87.1-2020
	 SMOKE	SHINY BLACK	 STK42N20U	 Z87+ U6L3 X	 Z87+	 PLATINUM	ANSI Z87.1-2020
	 SMOKE	CRYSTAL	 STK42N21U	 Z87+ U6L3 X	 Z87+	 PLATINUM	ANSI Z87.1-2020
	 SMOKE POLARIZED	SHINY BLACK	 STK42N50U	 Z87+ U6L3	 Z87+	ANTI-SCRATCH	ANSI Z87.1-2020
	 COBALT FLASH POLARIZED	SHINY BLACK	 STK42N51U	 Z87+ U6L3	 Z87+	ANTI-SCRATCH	ANSI Z87.1-2020
	 SMOKE POLARIZED	GRAPHITE	 STK42N53U	 Z87+ U6L3	 Z87+	ANTI-SCRATCH	ANSI Z87.1-2020
	 COBALT FLASH POLARIZED	CRYSTAL	 STK42N55U	 Z87+ U6L3	 Z87+	ANTI-SCRATCH	ANSI Z87.1-2020

 **WARNING:** Can expose you to Bisphenol-A (BPA), a carcinogen and reproductive toxicant. See www.P65Warnings.ca.gov.

PACKAGING & CODE

SINGLE: Size: 15,6 x 5,5 x 4,5 cm	INNER BOX (10PCS) : Size: 27,5 x 18 x 9 cm	OUTER PACK (138PCS) : Size: 58 x 38 x 30 cm Weight: 9,5kg
UPC: 840276708190 EAN: 3660740022624	UPC: 840276708206 EAN: 3660740122621	UPC: 840276708213 EAN: 3660740222628
UPC: 840276708312 EAN: 3660740022662	UPC: 840276708329 EAN: 3660740122669	UPC: 840276708336 EAN: 3660740222666
UPC: 840276708220 EAN: 3660740022631	UPC: 840276708237 EAN: 3660740122638	UPC: 840276708244 EAN: 3660740222635
UPC: 840276708343 EAN: 3660740022679	UPC: 840276708350 EAN: 3660740122676	UPC: 840276708367 EAN: 3660740222673
UPC: 840276708251 EAN: 3660740022648	UPC: 840276708268 EAN: 3660740122645	UPC: 840276708275 EAN: 3660740222642
UPC: 840276708282 EAN: 3660740022655	UPC: 840276708299 EAN: 3660740122652	UPC: 840276708305 EAN: 3660740222659
UPC: 840276708374 EAN: 3660740022686	UPC: 840276708381 EAN: 3660740122683	UPC: 840276708398 EAN: 3660740222680
UPC: 840276708404 EAN: 3660740022693	UPC: 840276708411 EAN: 3660740122690	UPC: 840276708428 EAN: 3660740222697

CUSTOM CODE: 9004.90.0010

GENERAL SPECIFICATIONS

LENS	POLYCARBONATE - 2.2MM	FOAM	-
CURVE	4 - SLIGHTLY CURVED	STRAP	-
FRAME	RECYCLED POLYCARBONATE FULL FRAME	SUPPLIED WITH	MICROFIBER POUCH

 **OVER
65%
RECYCLED
MATERIAL**

KNOW MORE
ABOUT
MARKINGS:

CLICK

OR SCAN:



CLEANING & STORAGE

CLEANING: All Bollé Safety lenses should be cleaned regularly with a non-alcohol based solution. Bollé Safety recommends using the B-Clean lens cleaning system or warm water and a non-abrasive handsoap.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.



MADE IN: CN

DATASHEET: 08-03-2026

bolle-safety.com/us

USA Office
5355 Avenida Encinas, Suite 107
Carlsbad, CA 92008
United States of America
P : 800 222 6553






Europe Headquarters
34 rue de la Soie
69100 Villeurbanne
France
P : 00 33 (0) 4 78 85 23 64

U.K. & Ireland
Unit C83 - Barwell Business Park
Leatherhead Road - Chessington
Surrey - KT9 2NY - UK
P : 00 44 (0)208 391 4700

Asia-Pacific Office
32-40 Fairchild Street
Heatherton VIC 3202
Australia
P : 1300 138 098

**THE PPE EYEWEAR
SPECIALISTS**

STKS 420 |

USE	VERSION	FRAME COLOUR	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
	 CLEAR	SHINY BLACK	 STL42N10U	 Z87+ U6X	 Z87+	 PLATINUM	ANSI Z87.1-2020
	 CLEAR	CRYSTAL	 STL42N11U	 Z87+ U6X	 Z87+	 PLATINUM	ANSI Z87.1-2020
	 SMOKE	SHINY BLACK	 STL42N20U	 Z87+ U6L3 X	 Z87+	 PLATINUM	ANSI Z87.1-2020
	 SMOKE	CRYSTAL	 STL42N21U	 Z87+ U6L3 X	 Z87+	 PLATINUM	ANSI Z87.1-2020
	 SMOKE	BLACK MATTE	 STL42N23U	 Z87+ U6L3 X	 Z87+	 PLATINUM	ANSI Z87.1-2020
	 SMOKE POLARIZED	SHINY BLACK	 STL42N50U	 Z87+ U6L3	 Z87+	ANTI-SCRATCH	ANSI Z87.1-2020
	 COBALT FLASH POLARIZED	SHINY BLACK	 STL42N51U	 Z87+ U6L3	 Z87+	ANTI-SCRATCH	ANSI Z87.1-2020
	 SMOKE POLARIZED	TRANSLUCENT GREY	 STL42N53U	 Z87+ U6L3	 Z87+	ANTI-SCRATCH	ANSI Z87.1-2020
	 SMOKE POLARIZED	BLACK MATTE	 STL42N54U	 Z87+ U6L3	 Z87+	ANTI-SCRATCH	ANSI Z87.1-2020
	 COBALT FLASH POLARIZED	CRYSTAL	 STL42N55U	 Z87+ U6L3	 Z87+	ANTI-SCRATCH	ANSI Z87.1-2020
	 COBALT FLASH POLARIZED	BLACK MATTE	 STL42N56U	 Z87+ U6L3	 Z87+	ANTI-SCRATCH	ANSI Z87.1-2020

 **WARNING:** Can expose you to Bisphenol-A (BPA), a carcinogen and reproductive toxicant. See www.P65Warnings.ca.gov.

PACKAGING & CODE

SINGLE: Size: 15,6 x 5,5 x 4,5 cm	INNER BOX (10PCS) : Size: 27,5 x 18 x 9 cm	OUTER PACK (138PCS) : Size: 58 x 38 x 30 cm Weight: 9,5kg
UPC: 840276713378 EAN: 3660740028732	UPC: 840276713385 EAN: 3660740128739	UPC: 840276713392 EAN: 3660740228736
UPC: 840276713491 EAN: 3660740028770	UPC: 840276713507 EAN: 3660740128777	UPC: 840276713514 EAN: 3660740228774
UPC: 840276713408 EAN: 3660740028749	UPC: 840276713415 EAN: 3660740128746	UPC: 840276713422 EAN: 3660740228743
UPC: 840276713521 EAN: 3660740028787	UPC: 840276713538 EAN: 3660740128784	UPC: 840276713545 EAN: 3660740228781
UPC: 840276713613 EAN: 3660740028817	UPC: 840276713620 EAN: 3660740128814	UPC: 840276713637 EAN: 3660740228811
UPC: 840276713439 EAN: 3660740028756	UPC: 840276713446 EAN: 3660740128753	UPC: 840276713453 EAN: 3660740228750
UPC: 840276713460 EAN: 3660740028763	UPC: 840276713477 EAN: 3660740128760	UPC: 840276713484 EAN: 3660740228767
UPC: 840276713552 EAN: 3660740028794	UPC: 840276713569 EAN: 3660740128791	UPC: 840276713576 EAN: 3660740228798
UPC: 840276713644 EAN: 3660740028824	UPC: 840276713651 EAN: 3660740128821	UPC: 840276713668 EAN: 3660740228828
UPC: 840276713583 EAN: 3660740028800	UPC: 840276713590 EAN: 3660740128807	UPC: 840276713606 EAN: 3660740228804
UPC: 840276713675 EAN: 3660740028831	UPC: 840276713682 EAN: 3660740128838	UPC: 840276713699 EAN: 3660740228835

CUSTOM CODE: 9004.90.0010

GENERAL SPECIFICATIONS


LENS	POLYCARBONATE - 2.2MM	FOAM	-
CURVE	4 - SLIGHTLY CURVED	STRAP	-
FRAME	RECYCLED POLYCARBONATE FULL FRAME	SUPPLIED WITH	MICROFIBER POUCH

 **OVER
65%
RECYCLED
MATERIAL**

KNOW MORE
ABOUT
MARKINGS:

CLICK

OR SCAN:



CLEANING & STORAGE

CLEANING: All Bollé Safety lenses should be cleaned regularly with a non-alcohol based solution. Bollé Safety recommends using the B-Clean lens cleaning system or warm water and a non-abrasive handsoap.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.



MADE IN: CN

DATASHEET: 08-03-2026

bolle-safety.com/us

USA Office
5355 Avenida Encinas, Suite 107
Carlsbad, CA 92008
United States of America
P : 800 222 6553

Europe Headquarters
34 rue de la Soie
69100 Villeurbanne
France
P : 00 33 (0) 4 78 85 23 64

U.K. & Ireland
Unit C83 - Barwell Business Park
Leatherhead Road - Chessington
Surrey - KT9 2NY - UK
P : 00 44 (0)208 391 4700

Asia-Pacific Office
32-40 Fairchild Street
Heatherton VIC 3202
Australia
P : 1300 138 098



**THE PPE EYEWEAR
SPECIALISTS**

STKS 420 |

VERSION	FRAME COLOR	REFERENCE	SIZE	TEMPLES	WEIGHT	FRAME MARKING	STANDARD
PRESCRIPTION FRAME	M SHINY BLACK	 STK42X11U	56/18	137 mm	28 G	56 □ 18-137  Z87-2+	ANSI Z87.1-2020
PRESCRIPTION FRAME	M CRYSTAL GREY	 STK42X12U	56/18	137 mm	28 G	56 □ 18-137  Z87-2+	ANSI Z87.1-2020
PRESCRIPTION FRAME	M GRAPHITE	 STK42X14U	56/18	137 mm	28 G	56 □ 18-137  Z87-2+	ANSI Z87.1-2020
PRESCRIPTION FRAME	M BLACK MATTE	 STK42X23U	56/18	137 mm	28 G	56 □ 18-137  Z87-2+	ANSI Z87.1-2020
PRESCRIPTION FRAME	L SHINY BLACK	 STL42X11U	61/19	140 mm	35 G	61 □ 19-137  Z87-2+	ANSI Z87.1-2020
PRESCRIPTION FRAME	L CRYSTAL GREY	 STL42X12U	61/19	140 mm	35 G	61 □ 19-137  Z87-2+	ANSI Z87.1-2020
PRESCRIPTION FRAME	L TRANSLUCENT GREY	 STL42X14U	61/19	140 mm	35 G	61 □ 19-137  Z87-2+	ANSI Z87.1-2020
PRESCRIPTION FRAME	L BLACK MATTE	 STL42X23U	61/19	140 mm	35 G	61 □ 19-137  Z87-2+	ANSI Z87.1-2020

 **WARNING:** Can expose you to Bisphenol-A (BPA), a carcinogen and reproductive toxicant. See www.P65Warnings.ca.gov.

ASSEMBLY RESTRICTIONS

MAXIMUM SPHERE POWER	-10.00/+10.00	MAXIMUM CYLINDER	+/- 5.00
-----------------------------	---------------	-------------------------	----------

LENS MATERIAL / IMPACT RESISTANCE

PC / F

CR39 / S

TRIVEX / F

GENERAL SPECIFICATIONS

CURVE	4 - SLIGHTLY CURVED	LENS MATERIAL	PC, CR39, TRIVEX
FRAME	BIO-BASED POLYAMIDE / RECYCLED PC - FULL FRAME	CORRECTIONS AVAILABLE	SINGLE VISION / BIFOCAL / DEGRESSIVE / PROGRESSIVE
STRAP		SUPPLIED WITH	RX KIT (HARD CASE, MICROFIBER POUCH, USER INSTRUCTION)



MADE IN: CN

DATASHEET: 08-03-2026

bolle-safety.com/us

USA Office
5355 Avenida Encinas, Suite 107
Carlsbad, CA 92008
United States of America
P: 800 222 6553

Europe Headquarters
34 rue de la Soie
69100 Villeurbanne
France
P: 00 33 (0) 4 78 85 23 64

U.K. & Ireland
Unit C83 - Barwell Business Park
Leatherhead Road - Chessington
Surrey - KT9 2NY - UK
P: 00 44 (0)208 391 4700

Asia-Pacific Office
32-40 Fairchild Street
Heatherton VIC 3202
Australia
P: 1300 138 098

PACKAGING & EAN13 CODE


SINGLE: Size: 17,5 x 7,5 x 5,5 cm	INNER BOX:	OUTER PACK (50PCS): Size: 58 x 38 x 30 cm
EAN : 3660740022761 UPC : 840276708480	-	840276708480
EAN : 3660740022792 UPC : 840276708510	-	840276708534
EAN : 3660740026516 UPC : 840276711671	-	840276711688
UPC: EAN: 3660740029531	UPC: EAN: 3660740129538	UPC: 840276715181 EAN: 3660740229535
UPC: EAN: 3660740029555	UPC: EAN: 3660740129552	UPC: 840276715198 EAN: 3660740229559
UPC: EAN: 3660740029579	UPC: EAN: 3660740129576	UPC: 840276715204 EAN: 3660740229573
UPC: EAN: 3660740029593	UPC: EAN: 3660740129590	UPC: 840276715211 EAN: 3660740229597
UPC: EAN: 3660740029616	UPC: EAN: 3660740129613	UPC: 840276715228 EAN: 3660740229610
CUSTOM CODE: 9003110000		

 **OVER 52% RECYCLED MATERIAL**

KNOW MORE ABOUT MARKINGS:

CLICK

OR SCAN:



CLEANING & STORAGE

CLEANING : All Bollé Safety lenses should be cleaned regularly with a non-alcohol based solution. Bollé Safety recommends using the B-Clean lens cleaning system or warm water and a non-abrasive handsoap.

MAINTENANCE : Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE : All products must be stored in a dry and clean environment.



THE PPE EYEWEAR SPECIALISTS

PRODUCT



OVER
65%
OF THIS EYEWEAR
IS RECYCLED



100%

**OF RENEWABLE ENERGY IN
THE PRODUCTION PROCESS**

0.368
kgCO₂e EMISSIONS
FOR A FULL PRODUCT LIFE CYCLE

24.9%
CO₂ REDUCTION
VS THE SAME STANDARD PRODUCT

       												   			
VERSIONS M	STK42N10U	STK42N11U	STK42N20U	STK42N21U	STK42N50U	STK42N51U	STK42N53U	STK42N55U	STK42X11U	STK42X12A	STK42X14U	STK42X23U			
FRAME/TEMPLES COMPOSITION	RECYCLED POLYCARBONATE								BIO-SOURCED POLYCARBONATE / RECYCLED POLYCARBONATE						
LENS COMPOSITION	-								-						
% OF TOTAL PRODUCT WEIGHT	67%								52.8%						
CO2 Footprint	0.368 kgCO2e								2.953 kgCO2e						
CO2 reduction VS standard product	24.9 %								4.1 %						
          												   			
VERSIONS L	STL42N10U	STL42N11U	STL42N20U	STL42N21U	STL42N23U	STL42N50U	STL42N51U	STL42N53U	STL42N54U	STL42N55U	STL42N56U	STL42X11U	STL42X12U	STL42X14U	STL42X23U
FRAME/TEMPLES COMPOSITION	RECYCLED POLYCARBONATE								BIO-SOURCED POLYCARBONATE / RECYCLED POLYCARBONATE						
LENS COMPOSITION	-								-						
% OF TOTAL PRODUCT WEIGHT	69 %								56,1%						
CO2 Footprint	0.419 kgCO2e								3.156 kgCO2e						
CO2 reduction VS standard product	27.5 %								3.06 %						