

SILEX+

bolle
SAFETY
STANDARD ISSUE

LENS
+ PLATINUM® ASAF COATING
+ PANORAMIC FIELD OF VISION



TEMPLES
+ BI-MATERIAL FLEX160° PC/TPR TEMPLES
+ ADJUSTABLE 15MM STRAP (OPTION)

FRAME
+ UPPER PROTECTION
+ NON-SLIP NOSE BRIDGE
+ SINGLE-LENS FRAME



CLEAR
#PSSILP064



SMOKE
#PSSILP443



CSP
#PSSILPC13



STRAP
#RUSHKITS

1.06 oz

+ MICROFIBER POUCH INCLUDED

VERSIONS

SILEX+ offers all the advantages of SILEX and is equipped with our exclusive PLATINUM® coating. Protection, Comfort... SILEX+ is available with various lens tints.

PLATINUM® (P) ASAF Coating


Permanent coating on both sides of the lens gives them a high resistance to scratching, and delays the onset of fogging. Certified K & N (EN166) PLATINUM® resists to the most aggressive chemicals.

CSP

This innovating coating is an effective solution for all activities that alternate exposure to bright light and low light, while also being suitable for extreme hot and cold temperature environments.













DESCRIPTION

TECHNOLOGIES




SILEX+

bolle
SAFETY
STANDARD ISSUE

MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKINGS	FRAME MARKINGS	V50 BALISTIC RESISTANCE STANAG 2920	ANSI/MIL	COATING
SILEX+	■ Mate Black	 Clear	PSSSILP064	 Z87+ U6	 Z87+	-	-	ASAF 
	■ Mate Black	 Smoke	PSSSILP443	 Z87+ U6 L3	 Z87+	-	-	ASAF 
	■ Mate Black	 CSP	PSSSILPC13	 Z87+ U6 L1.5	 Z87+	-	-	ASAF 
	Strap Kit	-	UNIVSTRAP	-	-	-	-	-

Lens markings

Z87+. Impact rated for Plano product - tested and approved to ANSI Z87.1-2015

 Manufacturer name

Lens Type:

Clear = none

Welding = W and Shade number from 1,3 to 14

UV filter = U and scale number from 2 to 6

Visible light filter = L and scale number from 1,3 to 10

IR filter = R and scale number from 1,3 to 10

Variable tint = V

Special purpose = S

Frame markings

 Manufacturer name

Country of Origin: Taiwan

Z87+. Impact rated for Plano product - tested and approved to ANSI Z87.1-2015

Mechanical strength symbols:

ANSI. guaranteed minimum resistance of the protective eyewear against everyday risks including dropping the protective eyewear onto the ground, ageing by light exposure, exposure to heat or corrosion etc. Maximum protection for glasses. Use for high speed particles at extreme temperatures.

Bollé Safety product approval certificates to ANSI standards will be sent on request.

	PSSSILP064	PSSSILP443	PSSSILPC13	UNIVSTRAP
EAN13 Unit pack	3660740011215	3660740011222	3660740011239	3660740007546
EAN13 Inner pack (number of unit per inner pack)	3660740111212 (10 units)	3660740111229 (10 units)	3660740111236 (10 units)	3660740107543 (10 units)
Size // Weight Inner pack	24x18x9 cm 0.5 kg	24x18x9 cm 0.5 kg	24x18x9 cm 0.5 kg	28x16x7 cm 0.61 kg
EAN13 Carton (number of unit per master pack)	3660740211219 (200 units)	3660740211226 (200 units)	3660740211233 (200 units)	3660740207540 (200 units)
Size // Weight Master pack	60x50x37 cm 13.9 kg	60x50x37 cm 13.9 kg	60x50x37 cm 13.9 kg	46x37x28 cm 7.30 kg

Maintenance: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

Storage: All products must be stored in a dry and clean environment.

SILEX+	
Lens	PC - 2.2 mm - Curve 9
Temples	PC + TPR
Strap	Nylon - 15mm
Spare lens	No
Country of Origin	Taiwan



For more information on this product and the BSSI range, visit:

bollesafety-usa.com

BOLLÉ SAFETY
1896 Rutherford Rd
Carlsbad, CA 92008
USA