

STKS 420

LOOK SHARP ON SITE

Stay sharp and protected with STKS safety glasses, the ultimate blend of style and high-performance eye protection. Engineered by Bollé Safety, these sleek frames are made to keep up with you and your crew — on site and beyond. Available in two sizes, STKS delivers a comfortable, secure fit for a wider range of face shapes and sizes. Certified for serious protection and built for all-day comfort, it combines cutting-edge technologies with a robust design for durability that won't quit. The modern frame delivers a sharp, athletic look while keeping your vision clear and your eyes safe. Need prescription lenses? STKS is also available in prescription to keep you looking on point with sharp vision, no matter where the job takes you.

28 G

- + **OVER 65% (PLANO) AND 52% (PRESCRIPTION) RECYCLED POLYCARBONATE**
- + **CRYSTAL-CLEAR VISION WITH PLATINUM : ANTI-SCRATCH & ANTI-FOG COATING**
- + **ENHANCED PROTECTION & COMFORT: INTEGRATED SIDE SHIELDS AND UPPER BROW PROTECTION FOR SUPERIOR COVERAGE**
- + **PRESCRIPTION-READY : ADVANCED LENS TREATMENTS AND WIDE PRESCRIPTION ADAPTABILITY FOR PRECISE VISION CORRECTION**



PART OF THE STKS COLLECTION



STKS 410



STKS 420

TECHNOLOGIES

CSP | PLATINUM | POLARIZED

VERSIONS

REGULAR SIZE

M



LARGE SIZE

L



PRESCRIPTION

Rx



bolle
SAFETY



STKS 420 M								
USE	VERSION	SIZE	FRAME COLOUR	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
	 CLEAR	M	BLACK GLOSS	 STK42N10A	 IO	 AS/NZS 1337.1	 PLATINUM	AS/NZS 1337.1:2010
	 CLEAR	M	CRYSTAL	 STK42N11A	 IO	 AS/NZS 1337.1	 PLATINUM	AS/NZS 1337.1:2010
	 CLEAR	M	GRAPHITE	 STK42N12A	 IO	 AS/NZS 1337.1	 PLATINUM	AS/NZS 1337.1:2010
	 SMOKE	M	BLACK GLOSS	 STK42N20A	 I3	 AS/NZS 1337.1	 PLATINUM	AS/NZS 1337.1:2010
	 SMOKE	M	CRYSTAL	 STK42N21A	 I3	 AS/NZS 1337.1	 PLATINUM	AS/NZS 1337.1:2010
	 SMOKE	M	GRAPHITE	 STK42N22A	 I3	 AS/NZS 1337.1	 PLATINUM	AS/NZS 1337.1:2010
	 SMOKE	M	BLACK MATTE	 STK42N23A	 IO	 AS/NZS 1337.1	 PLATINUM	AS/NZS 1337.1:2010
	 POLARIZED	M	BLACK GLOSS	 STK42N50A	 I3	 AS/NZS 1337.1	ANTI-SCRATCH	AS/NZS 1337.1:2010
	 POLARIZED	M	CRYSTAL	 STK42N52A	 I3	 AS/NZS 1337.1	ANTI-SCRATCH	AS/NZS 1337.1:2010
	 POLARIZED	M	GRAPHITE	 STK42N53A	 I3	 AS/NZS 1337.1	ANTI-SCRATCH	AS/NZS 1337.1:2010
	 POLARIZED	M	BLACK MATTE	 STK42N54A	 I3	 AS/NZS 1337.1	ANTI-SCRATCH	AS/NZS 1337.1:2010
	 COBALT FLASH POLARIZED	M	BLACK GLOSS	 STK42N51A	 I3	 AS/NZS 1337.1	ANTI-SCRATCH	AS/NZS 1337.1:2010
	 COBALT FLASH POLARIZED	M	CRYSTAL	 STK42N55A	 I3	 AS/NZS 1337.1	ANTI-SCRATCH	AS/NZS 1337.1:2010
	 COBALT FLASH POLARIZED	M	BLACK MATTE	 STK42N56A	 I3	 AS/NZS 1337.1	ANTI-SCRATCH	AS/NZS 1337.1:2010

GENERAL SPECIFICATIONS			
LENS	POLYCARBONATE - 2.2MM	FOAM	-
CURVE	4 - SLIGHTLY CURVED	STRAP	-
FRAME	RECYCLED POLYCARBONATE FULL FRAME	SUPPLIED WITH	MICROFIBER POUCH
WEIGHT	28 G		

KNOW MORE ABOUT MARKINGS:

OR SCAN:



PACKAGING & EAN13 CODE		
SINGLE: Size: 15,6 x 5,1 x 4 cm	INNER BOX (10PCS) : Size: 27,5 x 18 x 9 cm Weight: 0,68 kg	OUTER PACK (120PCS) : Size: 58 x 38 x 30 cm Weight: 9,16 kg
3660740020965	3660740120962	3660740220969
3660740021009	3660740121006	3660740221003
3660740021030	3660740121037	3660740221034
3660740020972	3660740120979	3660740220976
3660740021016	3660740121013	3660740221010
3660740021047	3660740121044	3660740221041
3660740028473	3660740128470	3660740228477
3660740020989	3660740120986	3660740220983
3660740021023	3660740121020	3660740221027
3660740021054	3660740121051	3660740221058
3660740028480	3660740128487	3660740228484
3660740020996	3660740120993	3660740220990
3660740022570	3660740122577	3660740222574
3660740028497	3660740128494	3660740228491
CUSTOM CODE: 9004.90.000		

CLEANING & STORAGE

CLEANING : The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE : Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE : All products must be stored in a dry and clean environment.



MADE IN: CN

DATASHEET: 07-03-2026



bolle-safety.com

Europe Headquarters
34 rue de la Soie
69100 Villeurbanne
France
P : 00 33 (0) 4 78 85 23 64

U.K. & Ireland
Unit C83 - Barwell Business Park
Leatherhead Road - Chessington
Surrey - KT9 2NY - UK
P : 00 44 (0)208 391 4700

USA Office
2810 Caribou Court, Suite 160
Carlsbad, CA 92010
United States of America
P : 800 222 6553

Asia-Pacific Office
32-40 Fairchild Street
Heatherton VIC 3202
Australia
P : 1300 138 098



THE PPE EYEWEAR SPECIALISTS

STKS 420 |


USE	VERSION	SIZE	FRAME COLOUR	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
	 CLEAR	L	CRYSTAL	 STL42N11A	 I0	 AS/NZS 1337.1	 PLATINUM	AS/NZS 1337.1:2010
	 SMOKE	L	BLACK GLOSS	 STL42N20A	 I3	 AS/NZS 1337.1	 PLATINUM	AS/NZS 1337.1:2010
	 SMOKE	L	CRYSTAL	 STL42N21A	 I3	 AS/NZS 1337.1	 PLATINUM	AS/NZS 1337.1:2010
	 SMOKE	L	GRAPHITE	 STL42N22A	 I3	 AS/NZS 1337.1	 PLATINUM	AS/NZS 1337.1:2010
	 SMOKE	L	BLACK MATTE	 STL42N23A	 I3	 AS/NZS 1337.1	 PLATINUM	AS/NZS 1337.1:2010
	 POLARIZED	L	BLACK GLOSS	 STL42N50A	 I3	 AS/NZS 1337.1	ANTI-SCRATCH	AS/NZS 1337.1:2010
	 POLARIZED	L	CRYSTAL	 STL42N52A	 I3	 AS/NZS 1337.1	ANTI-SCRATCH	AS/NZS 1337.1:2010
	 POLARIZED	L	GRAPHITE	 STL42N53A	 I3	 AS/NZS 1337.1	ANTI-SCRATCH	AS/NZS 1337.1:2010
	 POLARIZED	L	BLACK MATTE	 STL42N54A	 I3	 AS/NZS 1337.1	ANTI-SCRATCH	AS/NZS 1337.1:2010
	 COBALT FLASH POLARIZED	L	BLACK GLOSS	 STL42N51A	 I3	 AS/NZS 1337.1	ANTI-SCRATCH	AS/NZS 1337.1:2010
	 COBALT FLASH POLARIZED	L	CRYSTAL	 STL42N55A	 I3	 AS/NZS 1337.1	ANTI-SCRATCH	AS/NZS 1337.1:2010
	 COBALT FLASH POLARIZED	L	BLACK MATTE	 STL42N56A	 I3	 AS/NZS 1337.1	ANTI-SCRATCH	AS/NZS 1337.1:2010

PACKAGING & EAN13 CODE

SINGLE: Size: 16,6 x 5,5 x 4,5 cm	INNER BOX (10PCS) : Size: 28,5 x 18 x 9 cm Weight: 0,753 kg	OUTER PACK (120PCS) : Size: 58 x 38 x 30 cm Weight: 10 kg
3660740027926	3660740127923	3660740227920
3660740027896	3660740127893	3660740227890
3660740027933	3660740127930	3660740227937
3660740027964	3660740127961	3660740227968
3660740028442	3660740128449	3660740228446
3660740027902	3660740127909	3660740227906
3660740027940	3660740127947	3660740227944
3660740027971	3660740127978	3660740227975
3660740028459	3660740128456	3660740228453
3660740027919	3660740127916	3660740227913
3660740028084	3660740128081	3660740228088
3660740028466	3660740128463	3660740228460
CUSTOM CODE: 9004.90.000		

GENERAL SPECIFICATIONS

LENS	POLYCARBONATE - 2.2MM	FOAM	-
CURVE	4 - SLIGHTLY CURVED	STRAP	-
FRAME	RECYCLED POLYCARBONATE FULL FRAME	SUPPLIED WITH	MICROFIBER POUCH
WEIGHT	35 G		

KNOW MORE
ABOUT
MARKINGS:

OR SCAN:

CLEANING & STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.



MADE IN: CN

DATASHEET: 07-03-2026



bolle-safety.com

Europe Headquarters
34 rue de la Soie
69100 Villeurbanne
France
P : 00 33 (0) 4 78 85 23 64

U.K. & Ireland
Unit C83 - Barwell Business Park
Leatherhead Road - Chessington
Surrey - KT9 2NY - UK
P : 00 44 (0)208 391 4700

USA Office
2810 Caribou Court, Suite 160
Carlsbad, CA 92010
United States of America
P : 800 222 6553

Asia-Pacific Office
32-40 Fairchild Street
Heatherton VIC 3202
Australia
P : 1300 138 098

THE PPE EYEWEAR
SPECIALISTS

STKS 420 |

VERSION	FRAME COLOUR	REFERENCE	SIZE	TEMPLES	WEIGHT	FRAME MARKING	STANDARD
PRESCRIPTION FRAME	 SHINY BLACK	 STK42X11A	56/18	137 mm	28 G	 AS/NZS 1337.6	AS/NZS 1337.6:2018
PRESCRIPTION FRAME	 CRYSTAL GREY	 STK42X12A	56/18	137 mm	28 G	 AS/NZS 1337.6	AS/NZS 1337.6:2018
PRESCRIPTION FRAME	 GRAPHITE	 STK42X14A	56/18	137 mm	28 G	 AS/NZS 1337.6	AS/NZS 1337.6:2018
PRESCRIPTION FRAME	 MATTE BLACK	 STK42X23A	56/18	137 mm	28 G	 AS/NZS 1337.6	AS/NZS 1337.6:2018
PRESCRIPTION FRAME	 SHINY BLACK	 STL42X11A	61/19	140 mm	35 G	 AS/NZS 1337.6	AS/NZS 1337.6:2018
PRESCRIPTION FRAME	 CRYSTAL GREY	 STL42X12A	61/19	140 mm	35 G	 AS/NZS 1337.6	AS/NZS 1337.6:2018
PRESCRIPTION FRAME	 GRAPHITE	 STL42X14A	61/19	140 mm	35 G	 AS/NZS 1337.6	AS/NZS 1337.6:2018
PRESCRIPTION FRAME	 MATTE BLACK	 STL42X23A	61/19	140 mm	35 G	 AS/NZS 1337.6	AS/NZS 1337.6:2018

ASSEMBLY RESTRICTIONS

MAXIMUM SPHERE POWER	-7.00 / +7.00	MAXIMUM CYLINDER	+/- 5.00
-----------------------------	---------------	-------------------------	----------

LENS MATERIAL / IMPACT RESISTANCE

PC / I	TRIVEX / I
--------	------------

GENERAL SPECIFICATIONS

CURVE	4 - SLIGHTLY CURVED	LENS MATERIAL	PC, TRIVEX
FRAME	BIO-BASED POLYAMIDE / RECYCLED PC - FULL FRAME	CORRECTIONS AVAILABLE	SINGLE VISION / BIFOCAL / DEGRESSIVE / PROGRESSIVE
STRAP / FOAM		SUPPLIED WITH	RX KIT (HARD CASE, MICROFIBER POUCH)




MADE IN: CN

DATASHEET: 07-03-2026



OVER 52% RECYCLED MATERIAL

KNOW MORE ABOUT MARKINGS:



OR SCAN:

PACKAGING & EAN13 CODE

SINGLE: Size: 17.5 x 7.5 x 5.5 cm	INNER BOX (10PCS):	OUTER PACK (50PCS): Size: 58 x 38 x 30 cm Weight: 2.09 kg
3660740021061	-	-
3660740021078	-	-
3660740025915	-	-
3660740021061	-	-
3660740028893	-	-
3660740028909	-	-
3660740028916	-	-
3660740028923	-	-
CUSTOM CODE: 9003.11.00		



CLEANING & STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.

bolle-safety.com

Europe Headquarters
34 rue de la Soie
69100 Villeurbanne
France
P : 00 33 (0) 4 78 85 23 64

U.K. & Ireland
Unit C83 - Barwell Business Park
Leatherhead Road - Chessington
Surrey - KT9 2NY - UK
P : 00 44 (0)208 391 4700

USA Office
2810 Caribou Court, Suite 160
Carlsbad, CA 92010
United States of America
P : 800 222 6553

Asia-Pacific Office
32-40 Fairchild Street
Heatherton VIC 3202
Australia
P : 1300 138 098




THE PPE EYEWEAR SPECIALISTS

PRODUCT



OVER
 **65%**
OF THIS EYEWEAR
IS RECYCLED

 **100%**
OF RENEWABLE ENERGY IN
THE PRODUCTION PROCESS

0.368
kgCO₂e EMISSIONS
FOR A FULL PRODUCT LIFE CYCLE

24.9%
CO₂ REDUCTION
VS THE SAME STANDARD PRODUCT

             														   				
VERSIONS M	STK42N10A	STK42N11A	STK42N12A	STK42N20A	STK42N21A	STK42N22A	STK42N23A	STK42N50A	STK42N51A	STK42N52A	STK42N53A	STK42N54A	STK42N55A	STK42N56A	STK42X11A	STK42X12A	STK42X14A	STK42X23A
FRAME/TEMPLES COMPOSITION	RECYCLED POLYCARBONATE														BIO-SOURCED POLYCARBONATE / RECYCLED POLYCARBONATE			
LENS COMPOSITION	-														-			
% OF TOTAL PRODUCT WEIGHT	67%														52.8%			
CO2 Footprint	0.368 kgCO2e														2.953 kgCO2e			
CO2 reduction VS standard product	24.9 %														4.1 %			
             														   				
VERSIONS L	STL42N10A	STL42N11A	STL42N12A	STL42N20A	STL42N21A	STL42N22A	STL42N23A	STL42N50A	STL42N51A	STL42N52A	STL42N53A	STL42N54A	STL42N55A	STL42N56A	STL42X11A	STL42X12A	STL42X14A	STL42X23A
FRAME/TEMPLES COMPOSITION	RECYCLED POLYCARBONATE														BIO-SOURCED POLYCARBONATE / RECYCLED POLYCARBONATE			
LENS COMPOSITION	-														-			
% OF TOTAL PRODUCT WEIGHT	69 %														56,1%			
CO2 Footprint	0.419 kgCO2e														3.156 kgCO2e			
CO2 reduction VS standard product	27.5 %														3.06 %			