

With Ness+ you enjoy all the benefits of the Ness model with added comfort thanks to co-injected temples. Exclusive PLATINUM scratch and fog resistant coating helps you work more efficiently.





ECO-PACKAGING:

Guaranteed plastic-free, this *GD GREEN* packaging is respectful of the environment. The products are wrapped in tissue paper and then stored in recycled and recyclable cardboard boxes. The user instructions are printed with vegetable ink directly onto the packaging to reduce waste.

- ULTRA-WRAPAROUND FRAME
- + +PLATINUM SCRATCH AND FOG RESISTANT COATING
- **+** PC/TPR CO-INJECTED TEMPLES FOR GREATER COMFORT
- **+** SUSTAINABLE PACKAGING
- NON-SLIP NOSE BRIDGE



ECO-PACKAGI

NESS+ SPORTY LOOK

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
NESS+	Clear	PSSNESP078	01 🖾	AS/NZS 1337.1:2010	Anti-scratch/Anti-fog 구
	CSP	PSSNESPC18	☆ I1	AS/NZS 1337.1:2010	Anti-scratch/Anti-fog +
	Smoke	PSSNESP453	13	AS/NZS 1337.1:2010	Anti-scratch/Anti-fog +7

LENS MARKING

- Platinum is a permanent coating applied on both sides of the lens that gives a high resistance to scratching (1.4 cd / m²) and to the most aggressive chemicals and delays the onset of fogging for two minutes, as per the testing requirements of EN166.
- I. The letter 'l' signifies 'Medium Impact' approval.
- **O.** The letter 'O' signifies that the product has been approved for the use both outdoors and indoors, and the terminology used by Australian standards is 'outdoor un-tinted'. This marking appears on all clear, amber and contrast lenses.

Ocular lens category:

- O. Range of luminous transmittance 80–100% (Clear).
- 1. Range of luminous transmittance 43-88% (CSP).
- 3. Range of luminous transmittance 8–18% (Smoke).

TECHNOLOGIES

CSP

This innovating coating is an effective solution for all activities that alternate exposure to bright light and low light, while also being suitable for extreme hot and cold temperature environments.

†PLATINUM

The exclusive scratch and fog resistant PLATINUM[®] coating guarantees even more safety, reliability and comfort. Washable (water and soap), this permanent coating applied on both sides of the lens makes it highly scratch resistant and durably delays the appearance of fogging.

LENSES

- 2mm polycarbonate
- Anti-fog/anti-scratch coating on both sides of lens: Clear, Smoke and CSP
- 99.9% UV 385 Clear
- 99.9% UV 400 Smoke and CSP

FRAME MARKING

AS/NZS 1337.1:2010 : Tested and approved to AS/NZS 1337.1.2010 for medium impact protection. Resists a 6mm ball at 45 m/s.

Others symbols:

Manufacturer name


CLEANING AND STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.

PACKAGING AND EAN13 CODE						
	PSSNESP078	PSSNESPC18	PSSNESP453			
20 safety glasses per inner box	3660740111731	3660740111748	3660740111755			
240 safety glasses per outer pack	3660740211738	3660740211745	3660740211752			





Eco packaging: Guaranteed plastic-free, this packaging is respectful of the environment. The products are wrapped in tissue paper and then stored in recycled cardboard boxes. Inner box: 56x18x9cm // Outer pack: 76x58x30cm - Not available in single sale format.

afao



Europe Bollé Safety 34 rue de la Soie 69100 Villeurbanne - France Tél. : 00 33 (0) 4 78 85 23 64 Fax : 00 33 (0) 4 78 85 28 56 contact@bolle-safety.com

bolle-safety.com



Non-contractual pictures

01/12/2021

