


COBRA

ESSENTIAL WRAP-AROUND COMFORT

The essential all rounder with a panoramic visual field! Wrap-around fit without any visual interference, COBRA offers 180° vision and perfect optical quality.

The option of swapping the temples for an adjustable strap and foam seal means COBRA is a highly versatile model.

 PLATINUM



40037



40038



40291



40040



40041



40042



40112



0.88 oz

SUPPLIED WITH

Adjustable cord
CORDC



Microfibre pouch
40107



Strap + foam kit
Ref. 40043

- + UPPER PROTECTION
- + PANORAMIC VISION
- + NON-SLIP BRIDGE
- + COMFORTABLE, NON-SLIP STRAIGHT TEMPLES
- + TEMPLE OR STRAP VERSION WITH INTERCHANGEABLE FOAM
- + PIVOTING TEMPLES

bolle
SAFETY

COBRA

ESSENTIAL WRAP-AROUND COMFORT

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
COBRA temple version	Clear	40037	☞ Z87 +U6	☞ Z87 +Z94	Anti-scratch/Anti-fog (☞)
	Smoke	40038	☞ Z87 +U6S	☞ Z87 +Z94	Anti-scratch/Anti-fog (☞)
	CSP	40291	☞ Z87 +U6S	☞ Z87 +Z94	Anti-scratch/Anti-fog (☞)
	HD	40040	☞ Z87 +U6	☞ Z87 +Z94	Hydrophobic/Anti-reflective/ Anti-scratch
	CONTRAST	40041	☞ Z87 +U6	☞ Z87 +Z94	AS/AF
	ESP	40042	☞ Z87 +U6S	☞ Z87 +Z94	Water-repellent/ Anti-reflection
	TWILIGHT	40112	☞ Z87 +U6S	☞ Z87 +Z94	Anti-scratch/Anti-fog (☞)
Accessories	Adjustable cord (supplied with)	CORDC	-	-	-
	Microfiber pouch (supplied with)	40107	-	-	-
	Foam and strap kit (option)	40043	-	-	-

LENS MARKING

- **Crown** = Manufacturer Mark
- **Z87+** = Impact rated for Plano product - tested and approved to ANSI Z81.1-2015
- **Lens type**
 - Clear = none
 - Welding = W and Shade number from 1,3 to 14
 - UV filter = U and scale number from 2 to 6
 - Visible light filter = L and scale number from 1,3 to 10
 - IR filter = R and scale number from 1n3 to 10
 - Variable tint = V
 - Special purpose = S

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

TECHNOLOGY

ESP

ESP, Extra sensory Perception, an innovative coating to reduce dazzle and the harmful affects of blue light. ESP filters 70% of blue light, 64% of visible light and 99.99% of UVA/UVB.

CONTRAST

A revolutionary coated, gradient lens offering better long term eye comfort. Contrast is particularly suited to wearers of safety glasses with clear lenses. Contrast filters 99.99% of UVA/UVB up to 400 nm and over 30% of blue light.

HD

A revolutionary coating for exceptional clarity and light transmission. It can be used for every type of job except those requiring solar protection in industrial fields. Unlike any other lens, wearers forget they are protected by the HD coating. Its visible light transmission rate is 96% compared with 90% for conventional clear lenses. Featuring a hydrophobic coating as standard, HD is a real polymer barrier and resists water and dirty marks.

PLATINUM

This permanent coating on both sides of the lens gives them a high resistance to scratching, to the most aggressive chemicals and delays the onset of fogging. In all circumstances and at all times the PLATINUM® lens innovation guarantees your eyes improved protection.

CSP

This innovating coating is an effective solution for all activities that alternate exposure to bright light and low light, while also being suitable for extreme hot and cold temperature environments. CSP is also combined with the exclusive PLATINUM coating that sustainably combats fogging.

TWILIGHT

The Twilight technology offers the advantages of ESP with a double anti-fog coating (on both sides of the lenses) to prevent fogging in the most challenging conditions. Designed and used in low light conditions, it improves contrast. Its light transmission rate is perfect for outdoors, particularly early morning and late evening. Twilight filters 76% of blue light.

FRAME MARKING

- **Crown** = Manufacturer Mark
- **Z87+** = Impact rated for Plano product - tested and approved to ANSI Z81.1-2015
- **Country of origin** = Taiwan

ANSI: guaranteed minimum resistance of the protective eyewear against everyday risks including dropping the protective eyewear onto the ground, ageing by light exposure, exposure to heat or corrosion etc.

Maximum protection for glasses. Use for high speed particles at extreme temperatures.

Bollé Safety product approval certificates to ANSI standards will be sent on request.

CLEANING AND STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the glasses or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.



04/01/2021

Bollé Safety-USA
2810 Caribou Court, Suite 160
Carlsbad, CA 92010
USA

bollesafety-usa.com

bolle
SAFETY

COBRA

ESSENTIAL WRAP-AROUND COMFORT

CHARACTERISTICS

LENSES	PC - 2,2 mm - Curve 9
FRAME	Nylon/PC/TPR
STRAP	15mm adjustable
FOAM	COBFPSI & COBFTPSI
SPARE LENSES	Yes

PACKAGING AND EAN 13 CODE

	40037	40038	40291	40040	40041	40042	40112
Individual plastic bag	054917277291	054917277307	054917337797	054917277321	054917277338	054917277345	054917278878
10 safety glasses per box	054917277291	054917277307	054917337797	054917277321	054917277338	054917277345	054917278878
200 safety glasses per outer pack	054917277291	054917277307	054917337797	054917277321	054917277338	054917277345	054917278878

PACKAGING AND EAN 13 CODE

	CORDC	40107	40043
Individual plastic bag	-	054917277994	054917277352
10 adjustable cord, 10 microfiber pouch or 20 foam and strap kits per inner box	3660740003500	054917277994	054917277352
100 microfiber pouch and 240 foam and strap kits per outer pack	-	054917277994	054917277352



04/01/2021

Bollé Safety-USA
2810 Caribou Court, Suite 160
Carlsbad, CA 92010
USA

bollesafety-usa.com

bolle
SAFETY