

GLOBE

SIMPLICITY & EFFECTIVENESS

Globe guarantees optimum protection thanks to its exceptional field of vision. Available in several versions, the product is an essential solution for any company looking for an ultra-protective, simple and effective goggle. Its lightly translucent frame offers a better perception of the environment, without glare, for optimal vision. Its design offers the possibility to improve the recyclability of the product at the end of its life, by quickly separating the materials from each other to aid the sorting of the untreated parts.



113 G



FITS OVER MOST PRESCRIPTION EYEWEAR

- + LIGHTLY TRANSLUCENT FRAME
- + PANORAMIC VISION
- + EASILY RECYCLED
- + USER-FRIENDLY COLOUR CODE



TECHNOLOGIES

PLATINUM LITE

VERSIONS



GLOBE10W
























GLOBE11W



GLOBE12W

GLOBE

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING <small>F: Glasses / B: Glasses with foam and strap kit</small>	COATING	STANDARD
	 VENTED	 GLOBEN10W	2C-1.2  1 9 BT C€	 EN166 3 4 9 BT C€ 	 PLATINUM LITE	EN166 - EN170 - UKCA
	 SEALED	 GLOBEN11W	2C-1.2  1 9 BT C€	 EN166 3 4 5 9 BT C€ 	 PLATINUM LITE	EN166 - EN170 - UKCA
	 VENTED FOAM	 GLOBEN12W	2C-1.2  1 BT 9 C€	 EN166 3 4 9 BT C€ 	 PLATINUM LITE	EN166 - EN170 - UKCA

BOLLÉ SAFETY PRODUCT APPROVAL CERTIFICATES TO C€ STANDARDS WILL BE SENT ON REQUEST.

PACKAGING & EAN13 CODE

SINGLE: <small>Size: 36 x 18 x 7 mm</small>	INNER BOX: <small>Size: 34x18x11 cm Weight: 0.74 kg</small>	OUTER PACK: <small>Size: 58 x 38 x 30 cm Weight: 7.6 kg</small>
3660740018733	3660740118730 - 5 pcs	3660740218737 - 40 pcs
3660740018740	3660740118747 - 5 pcs	3660740218744 - 40 pcs
3660740018757	3660740118754 - 5 pcs	3660740218751 - 40 pcs
CUSTOM CODE: 9004901000		

GENERAL SPECIFICATIONS

LENS	POLYCARBONATE - 2.6 MM	FOAM	S B R
CURVE	5,5 - SLIGHTLY CURVED	STRAP	POLYESTER / SPANDEX - 25MM
FRAME	PVC - VENTED - INDIRECT VENTILATION	OPTIONAL	

KNOW MORE
ABOUT
MARKINGS:



OR SCAN:

CLEANING & STORAGE

CLEANING : The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE : Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE : All products must be stored in a dry and clean environment.



MADE IN: CN

DATASHEET: 09-05-2025

bolle-safety.com

Europe Headquarters
34 rue de la Soie
69100 Villeurbanne
France
P : 00 33 (0) 4 78 85 23 64

U.K. & Ireland
Unit C83 - Barwell Business Park
Leatherhead Road - Chessington
Surrey - KT9 2NY - UK
P : 00 44 (0)208 391 4700

USA Office
2810 Caribou Court, Suite 160
Carlsbad, CA 92010
United States of America
P : 800 222 6553

Asia-Pacific Office
32-40 Fairchild Street
Heatherton VIC 3202
Australia
P : 1300 138 098



THE PPE EYEWEAR
SPECIALISTS

PACKAGING

ECO-
POLYBAG

Available on all Bollé Safety's eyewear
(except B-Line: 50% recycled)




100%
RECYCLED



100%
RECYCLABLE



PRODUCT



100%

OF RENEWABLE ENERGY IN
THE PRODUCTION PROCESS

0.575
kgCO₂e EMISSIONS
FOR A FULL PRODUCT LIFE CYCLE

66.3%
CO₂ REDUCTION
VS THE SAME STANDARD PRODUCT

SOURCES : ECOINVENT V3.8 (01/07/2024)

*8.7% reduction thanks to ECO-POLYBAG for 10 units in non-FSC-certified cardboard packaging compared with standard polybag

**27.8% reduction thanks to ECO-PACK compared to standard inner packaging in a non-FSC cardboard.