

SILEX+

THE MODEL WITHOUT COMPROMISE, IN **PLATINUM**

ECO-PACKAGING

SILEX+ offers all the advantages of SILEX and is equipped with our exclusive PLATINUM treatment for long-lasting protection against fog and scratch. In order to cover all activities requiring alternating high and low light exposure, SILEX+ is available in a CSP version, a technology that also effectively fights against blue light. Protection, Comfort and... Style, SILEX+ is available with new branch colour combinations, and in two sizes.

PLATINUM



PSSSILPC20



PSSSILP459



PSSSILP091



PSSSILPC212



PSSSILP4602



PSSSILP0922

30g



ECO-PACKAGING:

Guaranteed plastic-free, this *GO GREEN* packaging is respectful of the environment. The products are wrapped in tissue paper and then stored in recycled and recyclable cardboard boxes. The user instructions are printed with vegetable ink directly onto the packaging to reduce waste.

- + **PLATINUM COATING**
- + **ULTRA-WRAPAROUND FRAME**
- + **PC/TPR CO-INJECTED TEMPLES FOR GREATER COMFORT**
- + **AVAILABLE IN TWO SIZES: REGULAR AND SMALL**
- + **SUSTAINABLE PACKAGING**
- + **FLEX 160° TEMPLES**

bolle
SAFETY

SILEX+

THE MODEL WITHOUT COMPROMISE, IN **PLATINUM**

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
SILEX+	Clear	PSSSILP091	2C-1,2 1 FT KN CE	EN166 FT CE	Anti-scratch/Anti-fog
	Smoke	PSSSILP459	5-3,1 1 FT KN CE	EN166 FT CE	Anti-scratch/Anti-fog
	CSP	PSSSILPC20	5-1,4 1 FT KN CE	EN 166 FT CE	Anti-scratch/Anti-fog
	Clear (Small)	PSSSILP0922	2C-1,2 1 FT KN CE	EN166 FT CE	Anti-scratch/Anti-fog
	Smoke (Small)	PSSSILP4602	5-3,1 1 FT KN CE	EN166 FT CE	Anti-scratch/Anti-fog
	CSP (Small)	PSSSILPC212	5-1,4 1 FT KN CE	EN 166 FT CE	Anti-scratch/Anti-fog

LENS MARKING

Optical class symbols:

1. Continuous work

Mechanical strength symbols:

F. Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s
Maximum protection for glasses.

T. The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.

Others symbols:

K. Resistance to surface damage by fine particles

N. Resistance to fogging

CE European standard Manufacturer name

FRAME MARKING

EN 166: guaranteed minimum resistance of the protective eyewear against everyday risks including dropping the protective eyewear onto the ground, ageing by light exposure, exposure to heat or corrosion etc.

F. Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s
Maximum protection for glasses.

T. The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.

CE European standard Manufacturer name

Bollé Safety product approval certificates to CE standards will be sent on request.

TECHNOLOGIES

CSP

This innovating coating is an effective solution for all activities that alternate exposure to bright light and low light, while also being suitable for extreme hot and cold temperature environments.

PLATINUM

The exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Washable (water and soap), this permanent coating applied on both sides of the lens makes it highly scratch resistant and durably delays the appearance of fogging.

CLEANING AND STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.

PACKAGING AND EAN13 CODE

	PSSSILP091	PSSSILP459	PSSSILPC20	PSSSILP0922	PSSSILPC212	PSSSILP4602
20 units per inner box	3660740113308	3660740113322	3660740113315	3660740113339	3660740113346	3660740113353
240 units per outer pack	3660740213305	3660740213329	3660740213312	3660740213336	3660740213343	3660740213350

CHARACTERISTICS

LENSES	PC - 2,2 mm - Curve 9
FRAME	-
TEMPLES	PC + TPR
STRAP	No



Eco packaging: Guaranteed plastic-free, this packaging is respectful of the environment. The products are wrapped in tissue paper and then stored in recycled cardboard boxes.
Inner box: 56x18x9cm // Outer pack: 76x58x30cm - Not available in single sale format.



Non-contractual pictures

01/07/2021

Europe Bollé Safety
34 rue de la Soie
69100 Villeurbanne - France
Tél. : 00 33 (0) 4 78 85 23 64
Fax : 00 33 (0) 4 78 85 28 56
contact@bolle-safety.com

U.K. Bollé Safety
Unit C83 - Barwell Business Park Leatherhead Road - Chessington
Surrey - KT9 2NY - UK
Tél. : 00 44 (0)208 391 4700
Fax : 00 44 (0)208 391 4733
e-mail : uk@bollebrands.com

bolle-safety.com

bolle
SAFETY