

S0SX1000

Supplied with microfibre pouch around the strap and individual rigid carry case.



## markings / norms

	Model	Reference	Version	Lens markings	Frame marking	V50 Ballistic Resistance STANAG 2920	ANSI/MIL	Coatings
	<b>X1000</b> Goggles	X1NDEI	Clear	2C-1.2 ☆ 1 BT KN C €	☆ EN166 3 BT C€	990 km/h - 275 m/s	ANSIZ87.1-2010 GL-PD-10-12	Anti-scratch Anti-fog (K&N)
	X'IOOO Optical Insert Kit	S0SX1000	RX Insert	-	-	-	-	-



## CHARACTERISTICS STRAP: Wide Adjustable 35 mm strap Non-slip technology

Pivot for helmet wearers Quick release system Microfibre pouch around the strap WEIGHT: 120 g CHARACTERISTICS

DOUBLE-LENS: PC Outer lens: 2.95 mm - anti-scratch PC Inner lens: 1.3 mm - anti-fog Anti-scratch and anti-fog coatings Optical insert in option FRAME: Comfort foam High-temperature resistant TPV frame Ventilation with foam filtration EQUALIZER technology Available in black



bollé



## packaging and ean13 code :

Model	Reference	Unit	Inner box	Units	Outer box	Units
X1000	X1NDEI	3660740005740	3660740105747	Х	3660740205744	x 60
X1000	S0SX1000	3660740000721	3660740100728	x 50	3660740200725	-

