

# ULTIM8

## THE ULTIMATE RESISTANCE

The most advanced protection for extreme work environments (cold/hot/dust/humid environments/oil&gas industries, mining...). ULTIM8 offers a maximal resistance to fogging thanks to PLATINUM coating.

★ PLATINUM



PSGULTI517



54 g



### ECO-PACKAGING:



Guaranteed plastic-free, this *GO GREEN* packaging is respectful of the environment. The products are wrapped in tissue paper and then stored in recycled and recyclable cardboard boxes. The user instructions are printed with vegetable ink directly onto the packaging to reduce waste.

- + SUSTAINABLE PACKAGING
- + SEALED TPR FOAM
- + REMOVABLE AND ADJUSTABLE STRAP
- + ★ PLATINUM COATING

**bolle**  
SAFETY

# ULTIM8

## THE ULTIMATE RESISTANCE

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
ULTIM8	 Clear	PSGULTI517	 CLO	AS/NZS 1337.1.2010	Anti-scratch/Anti-fog (P)

### LENS MARKING

P. Platinum is a permanent coating applied on both sides of the lens that gives a high resistance to scratching (1.4 cd / m<sup>2</sup>) and to the most aggressive chemicals and delays the onset of fogging for two minutes, as per the testing requirements of EN166.

C. The letter 'C' signifies that the product has been tested and approved for use against splashes and is appropriate for chemical handling.

I. The letter 'I' signifies 'Medium Impact' approval.

O. The letter 'O' signifies that the product has been approved for the use both outdoors and indoors, and the terminology used by Australian standards is 'outdoor un-tinted'. This marking appears on all clear, amber and contrast lenses.

### Ocular lens category:

O. Range of luminous transmittance 80–100% (Clear).

### TECHNOLOGY

#### PLATINUM

This permanent coating on both sides of the lens gives them a high resistance to scratching, to the most aggressive chemicals and delays the onset of fogging. In all circumstances and at all times the PLATINUM lens innovation guarantees your eyes improved protection.

### CLEANING AND STORAGE

**CLEANING:** The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

**MAINTENANCE:** Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

**STORAGE:** All products must be stored in a dry and clean environment.

PACKAGING AND EAN 13 CODE	
	PSGULTI517
20 safety spectacles per box	3660740113230
240 safety spectacles per outer pack	3660740213237



**Eco packaging:** Guaranteed plastic-free, this packaging is respectful of the environment. The products are wrapped in tissue paper and then stored in recycled cardboard boxes. **Inner box: 56x18x9cm // Outer pack: 76x58x30cm - Not available in single sale format.**



CHARACTERISTICS	
LENSES	PC - 2,2 mm - Curve 8
STRAP	15mm adjustable - Polyester
FOAM	TPR

Non-contractual pictures

01/12/2021

Europe Bollé Safety  
34 rue de la soie  
69100 Villeurbanne - France  
Tél. : 00 33 (0) 4 78 85 23 64  
Fax : 00 33 (0) 4 78 85 28 56  
contact@bolle-safety.com

[bolle-safety.com](http://bolle-safety.com)

APAC  
Bollé Safety AU Pty Limited  
32-40 Fairchild St Heatherton  
VIC 3202 Australia  
Tel.: 1300 138 098  
sales@bollesafety.com.au

**bolle**  
SAFETY